		27	Oxygen bonded directly to
This Cla	ass 568 is considered to be an		sulfur (e.g., sulfoxides,
	part of Class 260 (see the Class		etc.)
260 sche	edule for the position of this	28	Plural oxygens bonded directly
Class in	n schedule hierarchy). This Class		to the same sulfur (e.g.,
retains	all pertinent definitions and		sulfones, etc.)
class li	nes of Class 260.	29	Thiol or thioether containing
		30	Nitrogen containing
		31	Carbonyl containing (e.g.,
			ketone containing, etc.)
	ORGANIC COMPOUNDS (CLASS 532,	32	Oxy containing
	SUBCLASS 1)	33	Oxy bonded directly to a
1	BORON CONTAINING		ring
2		34	Plural rings containing
	Phosphorus containing	35	Plural halogens containing
3	Plural borons containing	36	_
4	Ten or more borons containing	30	Nitrogen or plural sulfurs
_	(e.g., decaborane, etc.)	2.77	containing
5	Sulfur, oxygen, halogen or	37	Carbonyl or oxy containing
	Group IA or IIA light metal		(e.g., ketone containing,
	containing	2.0	etc.)
6	Sulfur, oxygen, halogen or	38	Thioethers
	Group IA or IIA light metal	39	Oxygen containing
	containing	40	Group IA or IIA light metal
7	Tri-acyclic-hydrocarbyl boron		containing
8	.PHOSPHORUS CONTAINING	41	Carbonyl containing (e.g.,
9	Phosphonium derivative		aldehyde containing, etc.)
10	Plural phosphori containing	42	Ketone containing
11	Sulfur or oxygen containing	43	Oxy or halogen containing
12	Ring phosphorus containing	44	Nitrogen containing
13	Sulfur or oxygen containing	45	Plural oxygens containing
14	Sulfur or oxygen bonded	46	Polyhydroxy
	directly to phosphorus	47	Plural rings containing
15	And sulfur or oxygen bonded	48	Plural rings bonded
	indirectly to phosphorus		directly to the same sulfur
16	Halogen containing	49	Plural rings containing
17	Benzene ring containing	50	Thiol or plural thioethers
18	.SULFUR CONTAINING	30	containing
19	With preservative or stabilizer	51	Oxygen bonded directly to a
	-	31	ring
20	Thiocarbonyl containing (e.g.,	52	Plural rings containing
0.1	thicketone containing, etc.)	53	Plural rings bonded
21	Sulfur bonded directly to	23	directly to the same sulfur
	sulfur (e.g., disulfides,	ГЛ	_
0.0	etc.)	54	Sulfur bonded directly to a
22	Oxygen containing		ring
23	Sulfur or oxygen bonded	55	Hydroxy containing
	directly to a ring	56	Halogen containing
24	Halogen containing	57	Thiol or plural thioethers
25	Benzene ring containing		containing
26	Preparing by reacting a thiol	58	Plural rings containing
	or mercaptide (i.e., reactant	59	Acyclic
	contains -SH or -SM where M is	60	Symmetrical (e.g., dimethyl
	a Group IA or IIA light metal)		sulfide, etc.)

61	Thiol or mercaptide containing	316	Halogen containing reactant
	(i.e., -SH or -SM containing	317	Alicyclic unsaturated or
	where M is a Group IA or IIA		acyclic unsaturated
	light metal)		hydrocarbon reactant
62	Oxygen containing	318	Gaseous hydrogen reactant
63	Carbonyl containing (e.g.,		or Group IA or IIA light metal
	ketone containing, etc.)		containing material utilized
64	Oxygen bonded directly to a	319	Reactant contains -COO-
	ring		group
65	Halogen containing	320	Oxidation of organic
66	Polythiol		compound utilizing gaseous
67	Benzene ring containing		oxygen
68	Preparing by utilizing	321	Plural rings in ketone
00	halogen, heavy metal, or	321	prepared
	aluminum containing material	322	Oxy containing reactant
69	Acyclic	323	Halogen containing reactant
70	-	323	(e.g., dehydrohalogenation,
70	Preparing by reacting		etc.)
	hydrogen sulfide or a metal	324	Purification or recovery
71	hydrosulfide		-
71	And an organic hydroxy	325	Plural rings containing
	containing reactant (H of -OH	326	Polycyclo ring system
	may be replaced by a Group IA	327	Bicyclo ring system
T.O.	or IIA light metal)	328	Naphthyl ring system
72	And a reactant having carbon	329	Alicyclic ring containing
F-2	to carbon unsaturation	330	Five-membered alicyclic
73	Boron, phosphorus, or		ring
	silicon containing material	331	Carbonyl bonded directly to
5 .4	utilized		benzene ring
74	Halogen containing	332	Two benzene rings bonded
75	Oxygen containing		directly to the same carbonyl
76	Nitro or nitroso containing		(i.e., benzophenones)
77	Ring containing	333	Oxy containing
300	.OXYGEN CONTAINING (E.G.,	334	Chalcones
	PERCHLORYLBENZENE, ETC.)	335	Carbonyl bonded directly to
301	Ketenes (e.g., halogenated		benzene ring (i.e.,
	ketenes, etc.)		acetophenones)
302	Ketene per se (i.e., HCH=C=O)	336	Oxy containing
303	Ketones	337	Oxy bonded directly to
304	With preservative or		benzene ring
	stabilizer	338	Processes of preparing,
305	Nitrogen containing		purifying, or recovering
306	Benzene ring containing		alicyclic ring containing
307	Acyclic		ketones
308	Benzene ring containing	339	Camphor per se or salt
309	Processes		thereof
310	Isomerization	340	Purification or recovery
311	Carbon monoxide or peroxy	341	Isomerization
	containing reactant	342	Carbon monoxide or peroxy
312	Aldehyde or ketone reactant		containing reactant
313	Aldehyde of ketone reactantAldehyde reacted with	343	Aldehyde or ketone reactant
213	ketone	344	Oxidation utilizing gaseous
314	Reactant contains -COO-	J 1 1	oxygen
3±±		345	Aldehyde reacted with ketone
21 F	group	515	
315	0xy containing reactant		

346	Reactant contains -COO-	375	Containing alicyclic ring
3 2 0	group	3,3	having at least seven members
347	Oxy containing reactant	376	Six-membered alicyclic ring
348	Halogen containing reactant		containing
349	Acyclic unsaturated	377	Unsaturation in the ring
	hydrocarbon reactant	378	2,6,6-Trialkylcyclohexenyl
350	Gaseous hydrogen reactant or		(e.g., vitamin A derivatives,
	Group IA or IIA light metal		etc.)
	containing material utilized	379	Five-membered alicyclic ring
351	Nitrogen containing material		containing
	utilized	380	Halogen containing
352	Boron, phosphorus, or sulfur	381	Four-membered alicyclic ring
0.50	containing material utilized		containing
353	Ketone reacted with ketone	382	Acyclic
354	Reactant contains -COO- group	383	Processes
355	Plural -COO- groups in the	384	Isomerization
256	reactant	385	Peroxy containing reactant
356	Carbon to carbon	386	Ring containing reactant
255	unsaturation in the reactant	387	Carbon monoxide reactant
357	Oxidation of organic compound	388	Aldehyde or ketone reactant
358	utilizing gaseous oxygenPlural stages each having	389	Oxidation of organic
330	oxidation		compound utilizing gaseous
359	Boron containing material	390	oxygenAldehyde reacted with
337	utilized	390	ketone
360	Heavy metal containing	391	Oxy containing reactant
300	material utilized	392	The oxy and the aldehyde
361	Oxy containing reactant	372	or ketone are in the same
362	Phenol containing reactant		reactant
363	Inorganic oxygen containing	393	Halogen containing reactant
	reactant	394	The halogen and the
364	Halogen containing reactant		aldehyde or ketone are in the
365	Unsaturated hydrocarbon		same reactant
	reactant	395	Acyclic unsaturated
366	Purification or recovery		hydrocarbon reactant
367	Plural alicyclic rings	396	Gaseous hydrogen reactant
	containing		or Group IA or IIA light metal
368	Polycyclo ring system		containing material utilized
369	Tetracyclo ring system	397	Reactant contains -COO-
	(e.g., homo steroids, etc.)		group
370	The tetracyclo ring system	398	Carbon to carbon
	consists of two five-membered	200	unsaturation in the reactant
	and two six membered cyclos	398.8	Oxidation of hydrocarbon
	(e.g., B-nor-testosterone,	200	mixtures
271	etc.)	399	Oxidation of organic
371	The six-membered rings are		compound utilizing gaseous oxygen
	<pre>fused to each other (e.g., A- nor-progesterone, etc.)</pre>	400	Unsaturated acyclic
372	The tetracyclo ring system	100	hydrocarbon reactant
372	consists of four six-membered	401	Ag, Au, Pd, Pt, Rh, Ir,
	cyclos (e.g., D homo-		Ru, or Os containing catalyst
	androstane, etc.)		utilized
373	Tricyclo ring system	402	Hydroxy containing reactant
374	Bicyclo ring system	403	Oxy containing reactant

404	Phosphorus, sulfur, or	438	Purification or recovery
	halogen containing material	439	Polycyclo ring system
	utilized	440	Bicyclo ring system
405	Ether or polyhydroxy	441	Oxy containing
40.5	containing compound utilized	442	Oxy containing
406	Aluminum or silicon	443	Preparing alicyclic ring
400	containing material utilized		containing aldehyde by
407	Halogen containing reactant		isomerization
408	Carbon to carbon	444	Preparing alicyclic ring
400	unsaturation in reactant		containing aldehyde by
409	Acetylenic unsaturation in		hydroformylation by reacting
410	the reactant		ethylenically unsaturated
410	Purification or recovery		compound, carbon monoxide, and
411	Acetone or haloacetone	445	gaseous hydrogen onlyPolycyclo-alicyclic ring
410	purified or recovered	445	system
412	Plural carbonyls containing	446	Unsaturated alicyclic ring
413	0xy containing	440	containing
414	Oxy or peroxy containing	447	2,6,6-Trialkylcyclohexenyl
415	Carbon to carbon	44/	(e.g., vitamin A derivatives,
41.6	unsaturation containing		etc.)
416	Halogen containing	448	Acyclic
417	Carbon to carbon unsaturation	449	Processes
410	containing	450	Isomerization
418	Halogen containing	451	Hydroformylation by reacting
419	Halogen containing	131	ethylenically unsaturated
420	Aldehydes		compound, carbon monoxide, and
421	With preservative or		gaseous hydrogen
422	stabilizer	452	Dimer produced
422	Formaldehyde with	453	Plural stages each having
423	preservative or stabilizer		hydroformylation
423	Nitrogen containingBenzene ring containing	454	Group VA element (N, P, As,
424	Benzene ring containing		Sb, or Bi) containing material
425	Processes		utilized (e.g., arsenic
427	Isomerization		containing ligand utilized,
427	Carbon monoxide reactant		etc.)
420	(e.g., carbonylation, etc.)	455	Nitrogen containing
429	Hydroformylation by		material utilized
449		456	Metal or metal containing
	reacting ethylenically unsaturated compound, carbon		compound filtered,
	monoxide and gaseous hydrogen		precipitated, or deposited
430	Ozone reactant or peroxy	457	Formaldehyde polymer
150	containing reactant		reactant
431	Oxidation of organic	458	Aldehyde reactant
	compound utilizing gaseous	459	Carbon to carbon
	oxygen		unsaturation in the aldehyde
432	Oxy containing aldehyde		prepared
	formed	460	0xy or -COO- containing
433	Aldehyde reactant		reactant
434	Gaseous hydrogen reactant	461	Aldehyde reacted with
435	Reactant contains -COO-	460	aldehyde
	group	462	Gaseous hydrogen reactant
436	Nitrogen containing material	463	Aldehyde reacted with
	utilized		aldehyde (e.g., aldol
437	Halogen containing reactant		condensation, etc.)

464	Aldehyde reacted with	493	Of formaldehyde per se
	diverse aldehyde	494	Plural carbonyls containing
465	0xy or -COO- containing	495	Halogen containing
	reactant	496	Oxy containing
466	Hydrogen halide or	497	Polyoxy
	elemental halogen reactant	557	Oxonium (e.g., beryllium
467	Acetylene reactant		hydride etherate, etc.)
468	Mercury containing catalyst	558	Peroxy bonded directly to
4.6.0	utilized		carbon
469	Ozone reactant	559	With preservative or
469.9	Oxidation of hydrocarbon		stabilizer
450	mixtures	560	Halogen containing
470	Oxidation of organic	561	Plural peroxy groups
	compound utilizing gaseous	562	Purification or recovery
4.7.1	oxygen	563	Additional oxygen containing
471	Organic hydroxy containing	564	Hydroperoxy containing
470	reactant	565	Preparing by oxidation
472	Methanol reactant		utilizing gaseous oxygen
473	Silver containing	566	Plural carbonyl groups bonded
4 17 4	catalyst utilized		directly to the peroxy group
474	Molybdenum containing		(e.g., acetyl peroxide, etc.)
485	catalyst utilized	567	Oxy containing
475	Acyclic hydrocarbon	568	Hydroperoxy containing
400	reactant	569	Preparing by oxidation
476	Carbon to carbon		utilizing gaseous oxygen
	unsaturation in the reactant	570	Alicyclic hydroperoxide
477	and in the aldehyde prepared		produced
477	Antimony or tin	571	Acyclic hydroperoxide
470	containing catalyst utilized		produced
478	Ag, Au, Pd, Pt, Rh, Ir,	572	Pretreatment of material
	Ru, or Os containing catalyst utilized		oxidized
479		573	Initiator, accelerator, or
4/9	Molybdenum containing catalyst utilized		catalyst utilized
480	Catalyst contains	574	Metal containing
400	phosphorus	575	Heavy metal
481	Selenium or tellurium	576	Purification or recovery
401	containing material utilized	577	Preparing by oxidation
482	Methane reactant		utilizing gaseous oxygen
483	Hetero ring containing	578	Preparing by reacting an
403	reactant		organic hydroperoxide and an
484	Reactant contains -COO-		organic hydroxy containing
404	group		compound (H of -OH may be
485	5 - 2		replaced by a Group IA or IIA
400	Oxy or peroxy containing reactant	579	light metal)
486	Polyoxy containing reactant		Ethers
487	Methanol or ethanol	580	With preservative or
407	reactant	581	stabilizer
488	Halogen containing reactant	201	Acyclic ether preserved or stabilized
489	Ag, Au, Pd, Pt, Rh, Ir, Ru,	E02	
107	or Os containing material	582	<pre>Nitrogen containing preservative or stabilizer</pre>
	utilized	583	
490	Halogen containing reactant	583 584	Nitrogen containing
491	Water utilized as reactant	204	Ether oxygen bonded directly to benzene ring
492	Purification or recovery	505	
1/4	rullicacion of recovery	585	Plural rings containing

F.0.6	_ 1	610	3
586	Polyoxy	610	Halogen containing
587	Polyoxy	611	Plural rings containing
588	Halogen containing	612	Polycyclo alicyclic ring
589	Acyclic		system
590	Plural oxygens bonded	613	Acyclic
	directly to the same carbon	614	Halogen containing
	(e.g., acetals, ketals,	615	Fluorine
	orthoesters, orthocarbonates,	616	Carbon to carbon
	etc.)		unsaturation containing
591	Plural oxygens bonded directly	617	Polytetramethylene glycols
	to the same carbon (e.g.,	618	Preparing from organic
	acetals, ketals, orthoesters,		hydroxy containing compound (H
	orthocarbonates, etc.)		of -OH may be replaced by a
592	Benzene ring containing		Group IA or IIA light metal)
593	Plural oxyalkylene groups	619	From polyhydroxy containing
	bonded directly to each other		compound
594	Acyclic	620	And cyclic ether
595	At least three oxygens	621	Purification or recovery
	bonded directly to the same	622	Hydroxy containing (H of -OH
	carbon (e.g., orthoesters,		may be replaced by a Group IA
	etc.)		or IIA light metal)
596	Carbon to carbon	623	Polyhydroxy containing
	unsaturation containing	624	Plural diverse oxyalkylene
597	Acetylenic unsaturation		groups containing
598	At least three oxygens	625	Plural diverse oxyalkylene
	containing		groups containing
599	One of the plural oxygens is	626	Benzene ring containing
	in a hydroxy group (i.e.,	627	Preparing by isomerization
	hemiacetals and hemiketals,	628	Preparing by alkylation of
	wherein H of -OH may be	020	benzene ring
	replaced by a Group IA or IIA	629	Preparing by hydroxylation of
	light metal)	025	benzene ring
600	At least three oxygens	630	Ether oxygen bonded directly
	containing	030	to benzene ring
601	Plural oxyalkylene groups	631	Plural rings containing
	bonded directly to each other	632	Polycyclo ring system
602		633	Polycyclo ling system
	each end of a chain which is	634	
	polyoxymethylene only (e.g.,	635	Plural benzene rings bonded
	paraformaldehyde, etc.,	033	
	wherein H of -OH may be	636	directly to the same oxygen
	replaced by a Group IA or IIA		Polyoxy
	light metal)	637	
603	Plural acetal or ketal	638	
	groups (e.g., tetraacetals,		-OH may be replaced by a Group
	etc.)	620	IA or IIA light metal)
604	Halogen containing	639	Halogen containing
605	Ion exchange resin or	640	Plural benzene rings bonded
	sulfuric acid utilized	- 4 -	directly to the same carbon
606	Plural oxyalkylene groups	641	Polyoxy and halogen
	bonded directly to each other	- 40	containing
607	Benzene ring containing	642	Plural benzene rings bonded
608	Ether oxygen bonded directly	C 4.5	directly to each other
	to a benzene ring	643	Polyoxy
609	Plural rings containing	644	Polyoxy
		645	Halogen containing

646	Acyclic carbon to carbon unsaturation containing	677 678	Fluorine
647		076	Hydroxy containing (H of -OH
	Halogen containing		may be replaced by a Group IA
648	Polyoxy		or IIA light metal)
649	Halogen containing	679	Polyether
650	Hydroxy bonded directly to	680	Polyhydroxy
	the benzene ring (H of -OH may	681	Halogen containing
	be replaced by a Group IA or	682	Purification or recovery
	IIA light metal)	683	Fluorine
651	Plural ether oxygens	684	Additional diverse halogen
	bonded directly to the benzene		containing
	ring	685	Carbon to carbon
652	Ether oxygen is ortho to		unsaturation containing
	the hydroxy	686	Carbon to carbon
653	Guaiacol per se or salt		unsaturation containing
	thereof	687	Carbon to carbon unsaturation
654	Acyclic carbon to carbon	00,	containing
001	unsaturation containing	688	3
655	Halogen containing	000	Preparing by reacting an
			acyclic acetylenically
656	Halogen bonded directly to		unsaturated compound and an
	the benzene ring		organic hydroxy containing
657	Aryl-oxy-alkenyl or aryl-		compound (H of -OH may be
	oxy-alkynyl		replaced by a Group IA or IIA
658	Acyclic hydrocarbyl group		light metal)
	bonded directly to the benzene	689	Preparing by reacting an
	ring		acyclic ethylenically
659	Plural rings containing		unsaturated compound and an
660	Polyoxy		organic hydroxy containing
661	Halogen containing		compound (H of -OH may be
662	Polyoxy		replaced by a Group IA or IIA
			light metal)
663	Halogen containing	690	Noble metal containing
664	Plural alicyclic rings	020	catalyst utilized
	containing	691	Preparing from an acetal or
665	Polycyclo ring system	091	
666	Alicyclic terpenic wherein the	600	ketal
	number of carbons is a	692	Preparing by
	multiple of five		dehydrohalogenation
667	Unsaturated alicyclic ring	693	Purification or recovery
	containing	694	Preparing by hydration of an
668	2,6,6-trialkylcyclohexenyl		olefin
000	(e.g., vitamin A derivatives,	695	Metal containing catalyst
			utilized
660	etc.)	696	Sulfuric acid utilized
669	Alicyclic ring and halogen	697	
	containing	097	Preparing by reacting an
670	Alicyclic ring and polyoxy		olefin and an organic hydroxy
	containing		containing compound (H of -OH
671	Acyclic		may be replaced by a Group IA
672	Polyoxy		or IIA light metal)
673	Carbon to carbon	698	Preparing by dehydration of
-	unsaturation containing		an organic hydroxy containing
674	Halogen containing		compound (H of -OH may be
675			replaced by a Group IA or IIA
075	Hydroxy containing (H of -		light metal)
	OH may be replaced by a Group	699	Purification or recovery
686	IA or IIA light metal)		_
676	Halogen containing		

700	<pre>Hydroxy containing (H of -OH may be replaced by a Group IA or IIA light metal)</pre>	736	Acyclic hydrocarbyl group bonded directly to the bicyclo ring system
701	With preservative or stabilizer	737	Halogen or polyhydroxy containing
702	Benzene ring containing compound preserved	738	<pre>Preparing from aryl sulfonate</pre>
703	<pre>Acyclic polycarbon hydrocarbyl group bonded directly to the benzene ring</pre>	739	Preparing from compound which includes halogen bonded directly to a benzene ring
704	Nitrogen containing	740	Preparing by
705	Benzene ring containing		dehydrogenation
706	Phenols (H of -OH may be replaced by a Group IA or IIA	741	Preparing from peroxide or preparing by oxidation
	light metal)	742	Purification or recovery
707	Plural rings containing	743	\ldots The additional ring is six-
708	Purification or recovery		membered
709 710	Halogen containing	744	The additional ring is benzene
711	Dinitro	745	Halogen containing
712	Polyhydroxy nitro containing	746	Rings bonded directly to
713	Halogen containing		each other
714	Hydrophenanthrene containing	747	Rings bonded directly to
715	Benzene ring containing		each other
716	\dots Phenols (H of -OH may be	748	Purification or recovery
	replaced by a Group IA or IIA	749	Purification or recovery
	light metal)	750	From mixture of phenols
717	Polyphenols	751	Plural phenols recovered
718	Three or more rings		separately
710	containing	752	Three or more phenols
719	Polycyclo ring system	752	recovered
720	Three or more phenols	753 754	Of polyhydroxy phenol
721	containing	/5 4	Of phenol prepared by
721	Alicyclic ring containingTwo phenols bonded directly		<pre>cleavage of hydroperoxide or other peroxide</pre>
122	to the same carbon	755	Of halogen containing
723	Identical phenols	, 55	phenol
724	Purification or recovery	756	Of phenol having acyclic
725			polycarbon hydrocarbyl group
726			bonded directly to the benzene
727	Preparing from a phenol		ring
	and an aldehyde or ketone	757	Nitrogen or phosphorus
728	Isopropylidene diphenol		containing compound utilized
	produced	758	Sorbent material utilized
729	Two phenols bonded directly	759	From substance which
	to two different carbons of an acyclic chain		includes sulfur or a sulfur containing compound
730	Two phenols bonded directly	760	From ammoniacal liquor
	to each other	761	From oil or tar derived
731	Additional ring containing		from fossil fuel or wood
732	Polycyclo ring system	762	Alkali metal hydroxide
733	Tricyclo ring system		utilized
734	Bicyclo ring system	763	Polyhydroxy (H of -OH may be
735	Naphthols		replaced by a Group IA or IIA light metal)

764	TT	794	Harry makel an elemine
/ 0 4	Hydroxymethyl group	794	Heavy metal or aluminum
	containing		containing catalyst
765	Halogen containing	795	Preparing from aryl
766	Acyclic polycarbon		sulfonate
	hydrocarbyl group bonded	796	Preparing from compound
	directly to the benzene group		which includes halogen bonded
767	Preparing from nitrogen		directly to a benzene ring
	containing compound	797	Catalyst utilized
768	Preparing by cleavage of	798	Preparing by cleavage of
700		190	
	hydroperoxide or other		hydroperoxide or other
	peroxide		peroxide
769	Preparing from aryl	799	Preparing by reduction or
	sulfonate		dehydrogenation (e.g., by
770	Preparing from compound		hydrogenation, etc.)
	which includes halogen bonded	800	Preparing by oxidation
	directly to a benzene ring	801	Of compound which contains
771	Preparing by oxidation		a benzene ring and a -COO-
772	Preparing by reduction or		group
7 7 2	dehydrogenation (e.g., by	802	Molecular oxygen utilized
	hydrogenation, etc.)	803	Peroxide or peracid
773	Preparing hydroquinones		utilized
	from an acetylene and carbon	804	Preparing by methylation
	monoxide	805	Preparing by dealkylation
774	Halogen containing	806	Preparing by pyrolysis
775	Fluorine or iodine		(e.g., by cracking, etc.)
776	Three or more halogens	807	Additional ring containing
	bonded directly to the ring	808	Polycyclo ring system
777			
	Preparing by hydrolysis	809	Plural benzene rings bonded
778	Preparing by hydrolysis		directly to the same carbon
779	Preparing by halogenation	810	Purification or recovery
780	Acyclic polycarbon	811	Polyhydroxy (H of -OH may be
	hydrocarbyl group bonded		replaced by a Group IA or IIA
	directly to the benzene ring		light metal)
781	Isopropyl or isopropenyl	812	Halogen containing
	group	813	Acyclic carbon to carbon
782	Preparing by reduction	010	unsaturation containing
,02	(e.g., by hydrogenation, etc.)	814	Preparing by reduction (e.g.,
702		014	
783	Preparing by isomerization		by hydrogenation, etc.)
784	Tertiary butyl group	815	Preparing from a peroxide or
785	Preparing by catalytic		preparing by oxidation
	alkylation	816	Plural alicyclic rings
786	Silicon containing		containing
	catalyst	817	Polycyclo ring system
787	Boron containing catalyst	818	Adamantane ring system
788	Sulfur containing	819	Bicyclo ring system
700	catalyst		
700	-	820	The two cyclos share at
789	Heavy metal or aluminum		least three ring carbons
	containing catalyst		(i.e., bridged ring)
790	Preparing by catalytic	821	Containing alicyclic ring
	alkylation		having at least seven members
791	Silicon containing	822	Six-membered alicyclic ring
	catalyst		containing
792	Boron containing catalyst	823	Unsaturation in the ring
793	Sulfur containing catalyst	824	2,6,6-trialkylcyclohexenyls
175	bullul containing catalyst	024	
			(e.g., vitamin A, etc.)

825	Single hydroxy containing (H of -OH may be replaced by a	853	Polyalkylol substituted alkane (e.g., pentaerythritol,
826	Group IA or IIA light metal)The hydroxy is attached indirectly to the ring	854 855	trimethylolethane, ect.)Purification or recoveryAcetylenically unsaturated
000			
827	Terpineol	856	Purification or recovery
828	Carbon to carbon unsaturation	857	Ethylenically unsaturated
	in substituent	858	Preparing by alcoholysis,
829	Menthols (H of -OH may be	050	
029			hydrolysis or saponification
	replaced by a Group IA or IIA		of an ester
	light metal)	859	Preparing by hydrolysis or
830	Preparing by reduction		saponification of alkyl
	(e.g., by hydrogenation, etc.)		polyhalide or halohydrin
0.2.1		0.00	
831	Methylol cyclohexane (H of -	860	Preparing by hydroxylation
	OH may be replaced by a Group		at point of ethylenic
	IA or IIA light metal)		unsaturation
832	Hydroxy bonded directly to	861	Preparing by reduction
002	the ring (e.g., terpin	001	(e.g., by hydrogenation, etc.)
		0.60	
	hydrate, etc.) (H of -OH may	862	Of aldehyde or ketone
	be replaced by a Group IA or	863	Of polyhydroxy aldehyde or
	<pre>IIA light metal)</pre>		polyhydroxy ketone (e.g., of
833	Cyclohexane polyol (e.g.,		carbohydrate, glyceraldehyde,
	inositol, etc.)		etc.)
024		0.6.4	
834	Polycarbon alkyl group	864	Of compound containing a -
	containing		COO- group
835	Cyclohexanol per se	865	Of ether
836	Preparing by oxidation	866	Preparing from ether
837	Boron containing material	867	From alkylene oxide
037	_		
	utilized	868	Purification or recovery
838	Five-membered alicyclic ring	869	Of glycerol
	containing	870	Ion exchange or sorbent
839	Four-membered alicyclic ring		material utilized
	containing	871	Of spent ethylene glycol
840	Acyclic	0,1	from polyester production
841	-	0.00	
	Halogen containing	872	Ion exchange or sorbent
842	Fluorine containing		material utilized
843	Carbon to carbon	873	Acetylenically unsaturated
	unsaturation containing	874	Preparing from carbonyl
844	Polyhydroxy or polyhalogen	-	containing compound
0 1 1	(H of -OH may be replaced by a	875	
		0/5	Terpenic, wherein the number
	Group IA or IIA light metal)		of carbons is a multiple of
845	Carbon to carbon		five (e.g., linalool,
	unsaturation containing		farnesol, etc.)
846	Preparing from aldehyde or	876	Preparing from carbonyl
	ketone		containing compound
847	Preparing from alkenyl	877	
017		077	By alcoholysis, hydrolysis,
	halide		or saponification of an ester
848	Preparing from alkenol	878	From aldehyde or ketone
849	Carbon to carbon	879	By reaction of aldehyde
	unsaturation containing		with olefin (i.e.,by Prins
850	Preparing from ethylenically		reaction)
330	unsaturated compound	880	
0.51		000	By reduction (e.g., by
851	Oxy bonded directly to a		hydrogenation, etc.)
	Group IA or IIA light metal)	881	Catalyst utilized
852	Polyhydroxy		

882	Including	909	Preparing by carbonylation
883	hydroformylationSupported hydrogenation		<pre>(e.g., by hydroformylation, etc.)</pre>
	catalyst utilized	909.5	Ethylenic unsaturation
884	By reduction (e.g., by		containing
005	hydrogenation, etc.)	909.8	Preparing from organic
885	Catalyst utilized	910	peroxide or organic ozonide
886	Preparing by alcoholysis, hydrolysis, or saponification	910.5	Preparing by oxidationOf hydrocarbon mixtures
	of ester of polybasic	911	Of metal containing compound
	inorganic acid	912	Boron containing catalyst
887	Boric acid	7	utilized
888	Hydroxy compound produced	913	Purification or recovery
	has from one to six carbons	914	By reduction (e.g., by
889	Isopropanol		hydrogenation, etc.)
890	Ethanol	915	By oxidation
891	Preparing by hydrolysis of	916	By dehydration
	organic halide	917	By sorption
892	<pre>Ethylenically unsaturated hydroxy compound produced</pre>	918	By plural liquid phase separation
893	Including producing the	919	Alkali metal containing
	organic halide reactant		compound in one phase
894	Additional organic compound	920	Alkali or alkaline earth
005	in reaction mixture		metal containing compound
895	Preparing by hydration of olefin	921	utilized
896	Supported catalyst utilized	921	Alkali metal hydroxideHeavy metal or aluminum
897	Aluminum containing catalyst	922	containing compound utilized
051	utilized	923	By crystallization of
898	Phosphorus containing	723	hydroxy compound or by forming
	catalyst utilized		hydroxy containing addition
899	Sulfur containing catalyst		compound
	utilized	924	Nitro containing (including aci
900	Heavy metal containing		forms)
	catalyst	925	With preservative or
901	Chromium, molybdenum, or	0.26	stabilizer
902	tungsten	926	Nitronic acid or Group IA or IIA light metal containing
902	Preparing from organic hydroxy containing reactant		(e.g., aci forms, etc.)
902.2	By homologation (e.g.,	927	Benzene ring containing
,02.2	forming ethanol from methanol,	928	Plural rings containing
	etc.)	929	Polycyclo ring system
903	By reduction, dehydration,	930	Polynitro
	or cleavage	931	Polynitro
904	Olefin reacted with the	932	Polynitro
	hydroxy containing reactant	933	Halogen containing
	(e.g., preparing by	934	Single methyl and plural
905	telomerization, etc.)		nitros only bonded directly to
905	By condensation (e.g., by		benzene ring (e.g.,
906	Guerbet reaction, etc.)By isomerization	935	<pre>dinitrotoluene, etc.)Trinitrotoluene</pre>
907	Preparing from ether	935	Halogen containing
908	Ethylenically unsaturated	937	Halogen bonded directly to
	hydroxy compound produced	,,,	benzene ring

938	Plural halogens bonded directly to benzene ring
939	Nitro bonded directly to benzene ring
940	Methyl bonded directly to benzene ring (e.g., nitroxylene, etc.)
941	Polycyclo-alicyclic ring system
942	Six-membered alicyclic ring containing
943	Acyclic
944	Polynitro
945	Halogen containing
946	Halogen containing
947	Nitroalkanes
948	Nitromethane
949	Nitroso containing
950	Processes of oxidizing
	nonaromatic hydrocarbons; or purification or recovery of the products of such processes
951	Peroxy containing material utilized
952	Nitrogen or silicon containing compound utilized
953	Plural stages each having oxidation
954	Liquid phase oxidation
955	Catalyst utilized
956	Heavy metal containing catalyst
957	Manganese containing catalyst
958	Purification or recovery
959	Oxidized hydrocarbons of undetermined structure

FOREIGN ART COLLECTIONS

FOR 000 CLASS-RELATED FOREIGN DOCUMENTS